



Carta[®]

flooring

VINYL FLOORING



CTV 501 - Natural Walnut



CTV 602 - Provincial Cherry



CTV 703 - Classic Oak



CTV 604 - Weathered Oak



CTV 605 - Slate Gray Oak





CTV 606 - Lime Oak



CTV 707 - Rustic Oak



CTV 508 - Tavern Oak



CTV 509 - Light Walnut



CTV 710 - Spanish Oak



PRODUCT SPECIFICATION

Type	: LVT (Luxury Vinyl Tile) Flooring
Finish & Edge	: UV Coated
Dimension	: 152.4 mm x 914.4 mm
Thickness	: 3.0 mm
Wear Layer	: 0.2 mm
Quantity	: 24 planks (3.34 m ²) / box

TECHNICAL DATA

CHARACTERISTICS	TEST METHOD	RESULT
Resistance to Chemicals	ASTM F925-13	Pass
Residual Identification	EN ISO 24343-1	Pass
Slip Resistance	EN 13893	DS
Fire Resistance	EN 13501-1:2007	Bfl-S1
Castor Chair	EN 425:2002	Pass
Color Fastness to Light	ISO 105-B02:2014	Better than 6
Abrasion Resistance	EN 660-2:1999	1.44 mm ³ /100 revolutions
Dimensional Stability	Expansion Curling	Pass
Accoustic Impact Noise Reduction	EN ISO 10140-3:2010 EN ISO 717-2:2013	$\Delta L_w = 13$ dB
Thermal Resistance	EN 12667:2001	Pass

PT Prasetya Gema Mulia

VIVERE Experience & Collaboration Space SOUTH78
Jl. Boulevard Gading Serpong
Blok O No. 7 & 8, Gading Serpong,
Tangerang, Banten 15334

☎ 021 5098 6988
021 5365 1607

📘 Carta Laminates

📞 0877 77 004 005

📷 @cartalaminates

🌐 www.cartalaminates.com
info@cartalaminates.com

